International Journal of Pharmaceutics, 47 (1988) 269–270
Elsevier

Author Index

Akbarieh, M., see Kassem, M. (47) 179
Akbarieh, M., see Thibert, R. (47) 171
Al-Shora, H.I., Moustafa, M.A., Niazy, E.M., Gaber, M. and Gouda, M.W.
Interactions of procainamide, verapamil, guanethidine and hydralazine with adsorbent antacids and antidiarrhoeal mixtures (47) 209
Anderberg, E.K., Bisrat, M. and Nyström, C.
Physicochemical aspects of drug release. VII. The effect of surfactant concentration and drug particle size on solubility and dissolution rate of felodipine, a sparingly soluble drug (47) 67
Arnaud, P., see Zuber, M. (47) 31
Attia, M.A., Kassem, M.A. and Safwat, S.M.
In vivo performance of [^{3}H]dexamethasone ophthalmic film delivery systems in the rabbit eye (47) 21

Basu, K., Kildsig, D.O. and Mitra, A.K.
Synthesis and kinetic stability studies of progesterone derivatives (47) 195
Baveja, S.K., Ranga Rao, K.V. and Devi, K.P.
Relationship between gum content and half-life of soluble β blockers from hydrophilic matrix tablets (47) 133
Beezer, A.E., see Buckton, G. (47) 121
Bisrat, M. and Nyström, C.
Physicochemical aspects of drug release. VIII. The relation between particle size and surface specific dissolution rate in agitated suspensions (47) 223
Bisrat, M., see Anderberg, E.K. (47) 67
Björk, E. and Edman, P.
Degradable starch microspheres as a nasal delivery system for insulin (47) 233
Bosanquet, A.G.
Instability of solutions of diaziquone stored at negative temperatures (47) 215
Buckton, G., Choularton, A., Beezer, A.E. and Chatham, S.M.
The effect of the comminution technique on the surface energy of a powder (47) 121
Bundgaard, H., see Larsen, J.D. (47) 103

Cartwright-Shamoon, J., see McElnay, J.C. (47) 239
Chatham, S.M., see Buckton, G. (47) 121
Chaumeil, J.C., see Zuber, M. (47) 31
Choularton, A., see Buckton, G. (47) 121
Concheiro, A., see Martínez-Pacheco, R. (47) 37

D'Arcy, P.F., see McElnay, J.C. (47) 239
Devi, K.P., see Baveja, S.K. (47) 133

De Vries-Nijboer, G.W., see Schoonen, A.J.M. (47) 249
De Zeeuw, R.A., see Wiechers, J.W. (47) 43
Doherty, C. and York, P.
Frusemide crystal forms; solid state and physicochemical analyses (47) 141
Dorle, A.K., see Labhasetwar, V.D. (47) 261
Drenth, B.F.H., see Wiechers, J.W. (47) 43
Duchateau, G.S.M.J.E., see Zuidema, J. (47) 1

Edman, P., see Björk, E. (47) 233
Elliott, D.S., see McElnay, J.C. (47) 239

Gaber, M., see Al-Shora, H.I. (47) 209
Gibson, S.H.M., Rowe, R.C. and White, E.F.T.
Characterisation of the structure of filled polymer film coatings using ion beam etching (47) 205
Gilbert, D.L., Okano, T., Miyata, T. and Kim, S.W.
Macromolecular diffusion through collagen membranes (47) 79
Gouda, M.W., see Al-Shora, H.I. (47) 209
Grijseels, H., see Schoonen, A.J.M. (47) 249

Hamada, C., see Kurosaki, Y. (47) 13
Hernández-Borrell, J.
A new confirmation of selective action of liposomes (47) 129
Hisaichi, S.-i., see Kurosaki, Y. (47) 13
Hollenbeck, R.G.
Bioavailability of phenylpropanolamine HCl from tablet dosage forms containing croscarmellose sodium (47) 89

Ichikawa, T., see Sakiya, Y. (47) 185
Ishida, S., see Sakiya, Y. (47) 185

Jonkman, J.H.G., see Wiechers, J.W. (47) 43

Kassem, M., Akbarieh, M. and Tawashi, R.
Effect of fluid viscosity on the size and morphic features of salicylic acid during ball-mill grinding (47) 179
Kassem, M.A., see Attia, M.A. (47) 21
Kildsig, D.O., see Basu, K. (47) 195
Kim, C.-K. and Oh, Y.-K.
Development of hydrophilic human serum albumin microspheres using a drug–albumin conjugate (47) 163
Kim, S.W., see Gilbert, D.L. (47) 79
Kimura, T., see Kurosaki, Y. (47) 13
Kogure, T., see Sugito, K. (47) 157

0378-5173/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Kurosaki, Y., Hisaichi, S.-i., Hamada, C., Nakayama, T. and Kimura, T.
Effects of surfactants on the absorption of salicylic acid from hamster cheek pouch as a model of keratinized oral mucosa (47) 13

Labhasetwar, V.D. and Dorle, A.K.
A study on the dielectric constant of salicylic acid and aspirin compacts during aging (47) 261
Larsen, J.D., Bundgaard, H. and Lee, V.H.L.
Prodrug forms for the sulfonamide group. II. Water-soluble amino acid derivatives of *N*-methylsulfonamides as possible prodrugs (47) 103
Lee, K.C.
The use of magnetite for estimation of microspheres in mice (47) 265
Lee, V.H.L., see Larsen, J.D. (47) 103
Losa, C.M., see Martínez-Pacheco, R. (47) 37

Martínez-Pacheco, R., Vila-Jato, J.L., Concheiro, A., Souto, C., Losa, C.M. and Ramos, T.
Effect of compression force on biopharmaceutical characteristics of Eudragit RS-based cephalexin tablets (47) 37
Maruyama, Y., see Sugito, K. (47) 157
McElnay, J.C., Elliott, D.S., Cartwright-Shamoon, J. and D'Arcy, P.F.
Stability of methotrexate and vinblastine in burette administration sets (47) 239
Mitra, A.K., see Basu, K. (47) 195
Miyata, T., see Gilbert, D.L. (47) 79
Moustafa, M.A., see Al-Shora, H.I. (47) 209
Müller, U. and Munz, K.
Distribution of [^{14}C]diazepam associated with two different types of small unilamellar liposomes in mice (47) 111
Munz, K., see Müller, U. (47) 111

Nakayama, T., see Kurosaki, Y. (47) 13
Niazy, E.M., see Al-Shora, H.I. (47) 209
Noguchi, M., see Sugito, K. (47) 157
Nyström, C., see Anderberg, E.K. (47) 67
Nyström, C., see Bisrat, M. (47) 223
Nyström, C., see Sjökvist, E. (47) 51

Ogata, H., see Sugito, K. (47) 157
Oh, Y.-K., see Kim, C.-K. (47) 163
Okano, T., see Gilbert, D.L. (47) 79
Okor, R.S.
Enhanced dissolution rate of aspirin from aspirin–methacrylic acid, methyl methacrylate coacervates in a simulated intestinal fluid (47) 263

Pellion, B., see Zuber, M. (47) 31
Pieters, F.A.J.M., see Zuidema, J. (47) 1

Ramos, T., see Martínez-Pacheco, R. (47) 37
Ranga Rao, K.V., see Baveja, S.K. (47) 133
Rao, K.P., see Vasantha, R. (47) 95
Rowe, R.C., see Gibson, S.H.M. (47) 205

Safwat, S.M., see Attia, M.A. (47) 21
Sakiya, Y., Ishida, S. and Ichikawa, T.
Absorption of benzene derivatives through the body surface and gill membranes of goldfish: substituent and intramolecular interaction effects (47) 185
Sasaki, Y., see Sugito, K. (47) 157
Schoonen, A.J.M., Grijseels, H. and De Vries-Nijboer, G.W.
Dissolution of a particle system at the fluid/fluid interface (47) 249
Sehgal, P.K., see Vasantha, R. (47) 95
Sjökvist, E. and Nyström, C.
Physicochemical aspects of drug release. VI. Drug dissolution rate from solid particulate dispersions and the importance of carrier and drug particle properties (47) 51
Souto, C., see Martínez-Pacheco, R. (47) 37
Sugito, K., Ogata, H., Noguchi, M., Kogure, T., Takano, M., Maruyama, Y. and Sasaki, Y.
The spreading of radiolabelled fatty suppository bases in the human rectum (47) 157

Takano, M., see Sugito, K. (47) 157
Tawashi, R., see Kassem, M. (47) 179
Tawashi, R., see Thibert, R. (47) 171
Thibert, R., Akbarieh, M. and Tawashi, R.
Morphic features variation of solid particles after size reduction: sonification compared to jetmill grinding (47) 171

Vasantha, R., Sehgal, P.K. and Rao, K.P.
Collagen ophthalmic inserts for pilocarpine drug delivery system (47) 95
Vila-Jato, J.L., see Martínez-Pacheco, R. (47) 37

White, E.F.T., see Gibson, S.H.M. (47) 205
Wiechers, J.W., Drenth, B.F.H., Jonkman, J.H.G. and De Zeeuw, R.A.
Percutaneous absorption, metabolism, and elimination of the penetration enhancer Azone in humans after prolonged application under occlusion (47) 43

York, P., see Doherty, C. (47) 141

Zuber, M., Pellion, B., Arnaud, P. and Chaumeil, J.C.
Kinetics of theophylline release from suppositories in vitro: influence of physicochemical parameters (47) 31
Zuidema, J., Pieters, F.A.J.M. and Duchateau, G.S.M.J.E.
Release and absorption rate aspects of intramuscularly injected pharmaceuticals (47) 1